

8700038

TO ALL TO WHOM THESE PRESENTS SHALL COME;

GROUMARK Inc.

Wilherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

'AT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'HS 321'

In Lestimony Whereot, I have hereunto set my hand and caused the seal of the Elaut Variety Protection Office to be affixed at the City of Washington, D. C. 18th day of December the year of our Lord one thousand nine hundred and eighty-seven-

APPLICATION FOR PLANT VA	NT OF AGRICULT		<del>///</del>		A APPROVED: OMB NO. 0581-0055	
	APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE  (Instructions on reverse)					
NAME OF APPLICANT(S)		2. TEM	PORARY DESIGNATION	ţ	S.C. 2426). ARIETY NAME	
GROWMARK, Inc.					HS 321	
ADDRESS (Street and No. or R.F.D. No., City,	State, and Zip Code	) 5. PHO	NE (Include area code)	21/20	FOR OFFICIAL USE ONLY	
PO Box 2500 Bloomington, IL 61702-2500	ŀ	(30	9) 557-2446	PVPO	8700038	
GENUS AND SPECIES NAME	7. FAMILY N	AME (Bota	nical)		DATE	
Glycine max Legum			е	December 31, 1986  TIME  9:00 MA.M. P.M.		
KIND NAME		A DATE C	F DETERMINATION	-	AMOUNT FOR FILING	
Soybean		Sep	tember 1980	RECEIVED	\$ 1800 == Date December 31, 1984	
IF THE APPLICANT NAMED IS NOT A "PER partnership, association, etc.)	SON," GIVE FORI	M OF ORG	ANIZATION (Corporation,	FEES REC	amount for certificate \$ 2000	
Corporation		÷			September 28,1987	
IF INCORPORATED, GIVE STATE OF INCOIDE laware	RPORATION		:	12. D	ebruary 29, 1980	
CHECK APPROPRIATE BOX FOR EACH ATT  Exhibit A, Origin and Breeding History  Exhibit B, Novelty Statement.  Exhibit C, Objective Description of Va  Exhibit D, Additional Description of V  Exhibit E, Statement of the Basis of A  DOES THE APPLICANT(S) SPECIFY THAT S  SEED? (See Section 83(a) of the Plant Variety	of the Variety (Se riety (Request forn Variety, pplicant's Ownersh EED OF THIS VAR	e Section n from Pla sip.	nt Variety Protection Offic	ce.)	AS A CLASS OF CERTIFIED P	
DOES THE APPLICANT(S) SPECIFY THAT T LIMITED AS TO NUMBER OF GENERATION	HIS VARIETY BE	17	Yes (If "Yes," answer  IF "YES" TO ITEM 16, V BEYOND BREEDER SEE	VHICH	CLASSES OF PRODUCTION	
Yes No	- <del>-</del> -	.	Foundation		egistered . Certified	
	LE FOR PROTEC	TION OF	<del></del>		Yas (If "Yes," give date)	
DID THE APPLICANT(S) PREVIOUSLY FI						
	ERED FOR SALE	ORMA	RKETED IN THE US OR	ОТНЕ	X No	
HAS THE VARIETY BEEN RELEASED, OFF	FERED FOR SALE	E, OR MA	RKETED IN THE U.S. OR	ОТНЕ	R COUNTRIES 7  Yes (If "Yes," give names of countries and dates)	
HAS THE VARIETY BEEN RELEASED, OFF					R COUNTRIES 7  Yes (If "Yes," give names of countries and dates)  No	
HAS THE VARIETY BEEN RELEASED, OFF Spring, 1986 The applicant(s) declare(s) that a viable sa plenished upon request in accordance with	mple of basic see	ds of this	variety will be furnished e applicable.	l with	R COUNTRIES 7  Yes (If "Yes," give names of countries and dates)  No the application and will be re-	
HAS THE VARIETY BEEN RELEASED, OFF  Spring, 1986  The applicant(s) declare(s) that a viable sa plenished upon request in accordance with the undersigned applicant(s) is (are) the odistinct, uniform, and stable as required in	mple of basic see a such regulations	ds of this as may lexually re	variety will be furnished e applicable. produced novel plant va	l with	R COUNTRIES 7  Yes (If "Yes," give names of countries and dates)  No the application and will be re- nd believe(s) that the variety is	
HAS THE VARIETY BEEN RELEASED, OFF  Spring, 1986  The applicant(s) declare(s) that a viable sa plenished upon request in accordance with the undersigned applicant(s) is (are) the odistinct, uniform, and stable as required in Variety Protection Act.  Applicant(s) is (are) informed that false re	mple of basic see a such regulations wner(s) of this se a Section 41, and	ds of this s as may l exually re is entitle	variety will be furnished to applicable. produced novel plant van I to protection under the	with riety, a provi	R COUNTRIES ?  Yes (If "Yes," give names of countries and dates)  No the application and will be re- and believe(s) that the variety is sions of Section 42 of the Plant in penalties.	
HAS THE VARIETY BEEN RELEASED, OFF Spring, 1986  The applicant(s) declare(s) that a viable sa plenished upon request in accordance with The undersigned applicant(s) is (are) the o distinct, uniform, and stable as required in Variety Protection Act.	mple of basic see a such regulations wner(s) of this se a Section 41, and	ds of this s as may l exually re is entitle	variety will be furnished to applicable. produced novel plant van I to protection under the	with riety, a provi	R COUNTRIES ?  Yes (If "Yes," give names of countries and dates)  No the application and will be re- and believe(s) that the variety is sions of Section 42 of the Plant	

FORM WA-470 (7-84) (Edition of 3-84 is obsolete.)

## EXHIBIT A

## Origin and Breeding History of HS 321

1978 - Cross made.

PARENTS: C4217 \* Williams 79

1978-79 -  $F_1$  and  $F_2$  generations advanced in Florida.

1979 - F3 generation grown. Two-hundred plants selected from bulk population and threshed individually.

- F3 single plants were evaluated as F4-derived lines in Progeny rows. One row (HS 321) was selected for its uniformity, standability and disease resistance. This row was harvested in bulk and seeds were checked and verified for uniform seed coat luster and hilum color.

It was in September, 1980, that it was determined HS 321 was a stable and unique line.

- 1981 Variety was entered in yield trials conducted at two locations in the Midwest. It produced uniform stands and was selected for its yield, standability and disease resistance.
- 1982 Variety was entered in yield trials conducted at 8 locations in the Midwest. it produced uniform stands and was selected for its yield, standability and disease resistance.
- 1983 Variety was entered in yield trials conducted at 17 locations in the Midwest. it produced uniform stands and was selected for its yield, standability and disease resistance.

Breeder seed was produced.

Trial evaluations since 1980 indicate HS 321 is a unique, uniform and stable soybean variety.

## **EXHIBIT B**

Novelty Statement concerning HS 321 Soybean

To our knowledge the soybean variety that most closely resembles HS 321 is Williams 79. Characteristics which differentiate HS 321 include, but are not necessarily limited to, the following:

1. Plant Height (cm)

HS 321 = 87.6 Williams 79 = 100.1 Lsd<sub>.05</sub> = 6.4

2. Emergence Potential

<sup>a</sup>Percentage of seedlings emerging from 10cm deep in sand versus 4cm deep in sand.

EXHIBIT C

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

# OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

3072	SEAN (GIYCINE Max L.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
		HS 321
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip	Code)	FOR OFFICIAL USE ONLY
		8700038
Choose the appropriate response which characterizes the in your answer is fewer than the number of boxes provide Starred characters * are considered fundamental to an adwhen information is available.	ed, place a zero in the first box w	then number is 9 or less (e.g., 0 9).
		(L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (	Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Net	bsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 7 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Blac	k 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green	n w	en de la companya de La companya de la co
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
2 1 = Low 2 = High		the second of th
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )	in the second of	
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green wi 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71' 4 = Dark Purple extending to unifoliate leaves ('Hödgson'	th bronze band below cotyledons ('W ) ; 'Coker Hampton 266A')	oodworth'; 'Tracy')
D. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

11.	LEAF	LET SIZE:			· · · · · · · · · · · · · · · · · · ·		
Ŷ.	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')		ກ ('Corsoy 79'; 'Ga		en e	
12	LEAE	COLOR:	<u>alijus iz Marketinas jir ili ili ili</u> Marijus (Marijus II)	Court to the State of			
1.6.	2	1 = Light Green ('Weber'; 'York')	Francisco March 1987	n Green ('Corsoy 7		a de la companya de l	
7,		3 = Dark Green ('Gnome'; 'Tracy')	The second of th	en e	the second second second second		
13.	FLOW	ER COLOR:					
	1	1 = White 2 = Purple	3 = White with	purple throat			
14.	POD C	OLOR:					
ÿ.	1	1 = Tan 2 = Brown	3 = Black	A second			a la la company
15.	PLANT	PUBESCENCE COLOR:					
	2	1 = Gray 2 = Brown (Tawny)		e de la companya de l			and the second second
16.	PLANT	TYPES:		y Janear	TREAT VIEW CONTRACTOR	3.24V m	r on the second
	2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Interme	ediate ('Amcor'; 'Br	axton')		e de la companya de l
7 17.	PLANT	HABIT:					
	3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved		eterminate ('Will')		a and a second	and the second of the
18.	MATU	RITY GROUP:					an and a second
0	6	1 = 000	4 = I /III 12 = IX	5 = II 6 = 13 = X	III	8 = V	
19.	DISEAS	SE REACTION: (Enter 0 = Not Tested; 1	= Susceptible; 2 = Res	istant)	7 - V (* - *		
	BACT	ERIAL DISEASES:					
*	0	Bacterial Pustule (Xanthomonas phaseoli	var. sojensis)				
*	0	Bacterial Blight (Pseudomonas glycinea)		· .	e e		4.5.2
*		Wildfire (Pseudomonas tabaci)	the state of the state of				
, .	FUNGA	L DISEASES:	en de la companya de La companya de la companya de				
*	0	Brown Spot (Septoria glycines)					origina di Salama. Hariota
		Frogeye Leaf Spot (Cercospora sojina)			# t	The same of the sa	
<b>★</b> '.	0	(a)	Race 3 0 Ra	ace 4	Race 5	Other (Specify)	en e
	0	Target Spot (Corynespora cassiicola)	•				
	0	Downy Mildew (Peronospora trifoliorum	var. <i>manshurica)</i>				and the second second
	2	Powdery Mildew (Microsphaera diffusa)			·:		·
*	1	Brown Stem Rot (Cephalosporium gregation)	um)				•
	0	Stem Canker (Diaporthe phaseolorum var.	. caulivora)	ing the second of the second o			· · · · · · · · · · · · · · · · · · ·

10	DISEA	SE DEACTI	ON. /5-4 0 - N					0,0000
15,				Tested; 1 = Susceptible; 2	= Resistant) (C	ontinued) *****	lang di di dinggang di masa di dinggan di	ranka da sana da kabupatén da sa
•	O		SES: (Continued)					
^		Pod and St	tem Blight (Diaporthe	e phaseolorum var; sojae)				
		Purple See	d Stain <i>(Cercospora k</i>	rikuchii)				
	0	Rhizocton	ia Root Rot <i>(Rhizoct</i>	onia solani)			•	
		Phytophth	ora Rot (Phytophtho	ra megasperma var. sojae)				
*	2	Race 1	2 Race 2	2 Race 3 1	Race 4	0 Race 5	0 Race 6	0 Race 7
	0	Race 8	0 Race 9	Other (Specify)				
	VIRA	L DISEASE	<b>\$</b> :	•				
	0	Bud Blight	(Tobacco Ringspot V	'irus)				
	0	Yellow Mos	aic (Bean Yellow Mo	saic Virus)				
*	0	Cowpea Mo	saic (Cowpea Chloro	tic Virus)				
	0	Pod Mottle	(Bean Pod Mottle Vii	·us)				
*	0	Seed Mottle	(Soybean Mosaic Vi	rus)				
	NEMA	TODE DISE	ASES:		•			
	;	Soybean Cy	st Nematode (Hetero	dera glycines)				
*		Race 1	0 Race 2	1 Race 3 0	Race 4	Other (Spec	ifv)	
	0	Lance Nema	tode (Hoplolaimus C	olombus)	•			
*		Southern Ro	ot Knot Nematode (	Meloidogyne incognita)		•		
*			ot Knot Nematode <i>(i</i>				•	
			Knot Nematode (Me					
	<u> </u>		matode ( <i>Rotylenchu</i>					
1			EASE NOT ON FOR					
				in topechy).	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·
20. PH	YSIOLO	OGICAL RE	SPONSES: (Enter 0	= Not Tested; 1 = Suscep	tible; 2 = Resist	ant)		
* [	1   1	on Chlorosi	s on Calcareous Soil			٠,		
	。	ther <i>(Specif</i>	y)					
1. IN	SECT R	EACTION:	(Enter 0 = Not Teste	d; 1 = Susceptible; 2 = Re	esistant)	A CONTRACTOR	t in the second	the Albana and Albana a
			Beetle (Epilachna va	and the state of the state of	e file of			
			opper <i>(Empoasca fat</i>	* * * * * * * * * * * * * * * * * * *		et grade		
Ī		her ( <i>Specif</i> y	a.					
2. INI	DICATE	WHICH VA	RIETY MOST CLOS	SELY RESEMBLES THA	T SUBMITTED.	en <u>tyrke stroke s</u>		
- 7	HARAC			OF VARIETY	CHARA		NAME OF	VARIETY
Plar	it Shape		Williams	79	Seed Coat		Williams 7	
Lea	f Shape		Williams	79	Seed Size		Williams 7	
Leaf	Color	,	Williams		Seed Shape	<u> </u>	Williams 7	
<u> </u>	Size		Williams	79	Seedling Pi	gmentation	- Williams 7	
1. 18th 2	1. 1. (4. 1.)	Z 138 E VES	Began to the second		National series	2.70 KS 08 (888)	··· · · · · · · · · · · · · · · · · ·	


FORM LMGS-470-57 (6-83)

### 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Dat

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
ş <del></del>				CM Width	CM Length	% Protein	% Oil	SEEDS	POD
HS 321									
Submitted	138	2.2	87.6			24		17.4	
Williams 79 Name of Similar Variety	140	2.4	100.1					17.9	

### PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



U.S. PVP Application Growmark Soybean HS321

## <u>Exhibit E</u>

Statement of the Basis of Applicant's Ownership

Ownership of soybean  ${\sf HS321}$  was transferred to Growmark, Inc. by the breeder and developer of the variety.